

538-60

1/3/2014

1/13



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7504P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Registration
 Number:
 538-60

Date of Issuance:
 JAN 03 2014

NOTICE OF PESTICIDE:
 Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance: **Unconditional**

Name of Pesticide Product:
**STARTER FERTILIZER WITH
 CRABGRASS PREVENTER**

Name and Address of Registrant (include ZIP Code):
The Scotts Company
14111 Scottslawn Rd.
Maryville, OH 43041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

EPA received a label amendment request submitted on December 20, 2013. EPA grants this request under the authority of section 3(c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. With this accepted labeling, all requirements set forth in the Reregistration Eligibility Decision (RED) for **Siduron** have been satisfied. Therefore, EPA reregisters the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Submit one (1) copy of final printed labeling. Amended labeling will supersede all previously accepted labels. A copy of your label stamped "Accepted" is enclosed for your records. Products shipped after twelve (12) months from the date of this Notice must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

The basic and alternate #1 confidential statements of formula (CSFs) dated 01/28/11 were found to be acceptable.

If you have any questions regarding this Notice, please contact Maggie Rudick at (703) 347-0257 or at rudick.maggie@epa.gov.

Signature of Approving Official:

Date:

JAN 03 2014

Kable Bo Davis
Product Manager 25
Herbicide Branch
Registration Division (7505P)

2/13

EPA Reg. No. 538-60

NOTE:
Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

STARTER FERTILIZER WITH CRABGRASS PREVENTER

| | | |
|-------------------------|-------|----------|
| ACTIVE INGREDIENT: | | |
| Siduron† | | 3.10 % |
| OTHER INGREDIENTS | | 96.90 % |
| | Total | 100.00 % |

†CAS #1982-49-6

EPA Reg. No. 538-60 EPA Est. No. 538-OH-1

(CAS #, EPA Reg. No. and EPA Est. No. may appear on front or back panel)


KEEP OUT OF REACH OF CHILDREN
CAUTION

See back for additional precautionary statements.

Covers/Treats/Treats and Feeds/Fertilizes 5,000 sq. ft.

NET WEIGHT 22.22 LBS (10.07 kg)

(Container weight and coverage area to be based on application rate of 4.44 pounds of product per 1,000 sq. ft.)



3/13

NOTE::

EPA Reg. No. 538-60

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

Optional Company Identifier: Scotts®

Alternate Brand Names:

- Starter Fertilizer Plus Crabgrass Preventer
- Step 1 For Seeding
- Step 1 for Seeding Starter® Brand Fertilizer with Crabgrass Preventer
- Starter Brand Fertilizer Plus Crabgrass Preventer

Optional Product Descriptors:

[XX-X-X] ***Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.***

Coverage Examples:

| Bag Weight (lbs) | Coverage (lbs/sq.ft.) | A.I. percent | # A.I. per acre |
|------------------|-----------------------|--------------|-----------------|
| 22.22 | 5,000 | 3.10 | 6.0 |
| 44.44 | 10,000 | 3.10 | 6.0 |

(Container weight and coverage area to be based on application rate of 4.44 pounds of product per 1,000 sq. ft.)

NOTE::

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

9/13

[First Aid and Environmental Information/Hazards]

[KEEP OUT OF REACH OF CHILDREN]
[CAUTION]

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

[People and Pet icon]

Caution: Causes moderate eye irritation. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and water after handling.

| FIRST AID [First Aid Cross icon] | |
|---|---|
| If in eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. • Call poison control center or doctor for treatment advice. |
| If on skin or clothing: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. |
| Have the product container or label with you when calling poison control center or doctor, or going for treatment. You may also contact 1-800-543-8873 for emergency medical treatment information. | |

Environmental Hazards: This product is toxic to fish and aquatic invertebrates. Do not apply where runoff is likely to occur. Do not contaminate lakes, streams, or ponds. Apply this product only as specified on the label. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

Storage and Disposal

[Garbage Can icon]

Storage: Store in a cool, dry place. Reseal opened bag by folding top down and securing.

Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE::

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

[Key Product Facts] [How and When to Apply] [Application]**Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

-Do not make more than one application per year.

Use Restrictions

- DO NOT use on lawns of bentgrass, bermudagrass, zoysiagrass, centipedegrass, St. Augustinegrass, bahiagrass, or on dichondra and similar ground covers.
- DO NOT rake or aerify after application so as to disturb the chemical barrier in the soil surface.
- DO NOT use this product to control weeds that are already growing or to prevent or control non-grassy weeds like dandelions.
- DO NOT apply this product in a way that will contact any person, or pet either directly or through drift. Keep people and pets out of the area during application.

If watering is required after application, do not enter or allow people or pets to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

[Application Instructions]**Spring Seeding**

Apply this product after seeding, and water with a gentle spray. When seeding into an existing thin lawn, the best time to apply this product is between the first and fourth mowings.

Summer Seeding

When establishing a new lawn in summer months, apply this product after seeding to protect against invasion of crabgrass, barnyardgrass and foxtail. Water with a gentle spray after application.

Successful summer seeding depends on keeping the soil moist until the lawn becomes established.

Avoid application to adjacent flower beds when using a rotary spreader.

- ***End Directions for Use*** -

6/13

NOTE::

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

[Spreader Settings]

Spreading Tips

For best results, use a Scotts spreader
Spreader Settings

Covers 5,000 sq. ft.

DIRECTIONS

Scotts
AccuGreen® Drop
Spreaders X

Mow lawn first; apply 2 header strips; apply longest
direction of lawn, overlapping wheel marks

Scotts
PrecisionGreen®
Drop Spreader X

Mow lawn first; apply 2 header strips; apply longest
direction of lawn, overlapping wheel marks

Scotts
SpeedyGreen® &
EdgeGuard™ X

Make each pass about X feet from previous pass to
overlap spread width.

Rotary
Scotts
EasyGreen® X
Rotary

Make each pass about XX inches from previous pass
to overlap spread width.

Additional Spreader Settings

[Art: drop spreader application]

[Art: rotary spreader application]

EZ Drop, Republic (#530)XX

EZ Broadcast, Republic (#540).....XX

Scotts Broadcast Tractor Spreader...XX

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

[This package applies 4.44 lbs of product per 1,000 sq. ft.]

-or-

Spreading Tips / Spreader Settings

Covers 5,000 sq. ft.

Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts
spreader. Shut off spreader or stop each time you reach a header strip.

| [Spreader] | [Setting] |
|---|------------------|
| Scotts Broadcast/Rotary Spreaders | |
| Scotts Basic™, Standard™, Deluxe™ Edgeguard®, Lawn Pro® or SpeedyGreen® Each pass should be within 5 feet of each other to ensure an overlap. | XX |
| Scotts EasyGreen® Make each pass about 30 inches from previous pass to overlap spread width | XX |
| Scotts Drop Spreaders | |
| Scotts AccuGreen® Make sure spreader wheel completely overlaps previous wheel marks. | XX |

For additional spreader settings, please call 1-800-543-TURF (8873).

[This package applies [4.44] lbs of product per 1,000 sq. ft.]

7/13

NOTE::

EPA Reg. No. 538-60

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

FERTILIZER GUARANTEE INFORMATION

The following table may be used in whole or in part. Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.

GUARANTEED ANALYSIS

Product Name

XX-XX-XX (insert N-P-K ratio)

FXXX (insert FL Fertilizer License No.)

| | |
|------------------------------------|-----|
| Total nitrogen (N) | XX% |
| X.X% ammoniacal nitrogen | |
| X.X% urea nitrogen | |
| X.X% other water soluble nitrogen* | |
| X.X% water insoluble nitrogen | |
| Available phosphate (P2O5) | XX% |
| Soluble potash (K2O) | XX% |
| Calcium (Ca) | X% |
| Magnesium (Mg) (Total) | X% |
| X.X% water soluble magnesium (Mg) | |
| X.X% chelated magnesium (Mg) | |
| Sulfur (S) | X% |
| X.X% combined sulfur (S) | |
| X.X% free sulfur (S) | |
| Boron (B) (Total) | X% |
| Copper (Cu) (Total) | X% |
| X.X% water soluble copper (Cu) | |
| X.X% chelated copper (Cu) | |
| Iron (Fe) (Total) | X% |
| X.X% water soluble iron (Fe) | |
| X.X% chelated iron (Fe) | |
| Manganese (Mn) (Total) | X% |
| X.X% water soluble manganese (Mn) | |
| X.X% chelated manganese (Mn) | |
| Molybdenum (Mo) | X% |
| Zinc (Zn) (Total) | X% |
| X.X% water soluble zinc (Zn) | |
| X.X% chelated zinc (Zn) | |

[Chlorine, not more than..... X%]

Derived from: **insert ingredients as required to comply with State fertilizer regulations**

[*Contains X.X% slowly available **insert source of slowly available nitrogen consistent with State fertilizer regulations**]

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

[Florida Annual Fertilizer Applications / Program]

[On Centipede lawns, do not exceed [a] rate of 2 lbs [of] Nitrogen per 1,000 sq. ft. in the north and 3 lbs [of] Nitrogen per 1,000 sq. ft. in the central and south. On Bahia lawns, do not exceed [a] rate of 3 lbs [of] Nitrogen per 1,000 sq. ft. in the north. North Florida is north of Ocala. Central Florida is defined as south of Ocala to a line extending from Vero Beach to Tampa. South Florida includes the remaining southern portion of the state.]

8/13

NOTE::

EPA Reg. No. 538-60

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

NOTICE: To extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions

[Sold [and Guaranteed] by]
The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041

[SMG Listed NYSE icon] U.S. Patent No.:5,102,440

SCOTTS...the lawn people. Marysville, Ohio 43041

© (20XX) Licensed by The Scotts Company LLC. World rights reserved. Made in U.S.A.

EPA Reg. No. 538-60 EPA Est. No. 538-OH-1

†CAS #1982-49-6

YOUR SATISFACTION GUARANTEED

Scotts [No-Quibble] Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

-or-

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check.

Get Expert Advice for your lawn NOW!

Want information on what to use and when? Signup today to get free expert advice specifically for your lawn. Visit scotts.com or call 1-800-543-TURF (8843)

Questions/Information [Art: Question mark]

Lawn success made easy

[phone icon]
Consumer Helpline 1-800-543-TURF (8873)

[computer mouse icon]
Visit our website: www.scotts.com

NOTE::

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 538-60

9/13

OPTIONAL TEXT AND CLAIMS

The following pesticidal, fertilizer or general benefit claims may appear on any label panel.

Specific fertilizer, formula and company specific information will be inserted on Final Printed Label to replace "X"

NOTE::

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 538-60

10/13

PESTICIDAL CLAIMS

- [Art: Weed]
- Apply / Use when planting grass seed
- Apply when seeding a new lawn
- Feeds and Treats 5,000 sq ft
- [FOR] USE WHEN PLANTING GRASS SEED
- If you are not seeding, use Turf Builder Plus Halts® instead of this product.
- Prevents Crabgrass when seeding
- Prevents crabgrass when seeding this spring
- Prevents crabgrass—also barnyardgrass and foxtail
- Results backed by Scotts No-Quibble Guarantee®
- Treats/Covers/[and feeds] 5,000 sq ft [465 m²] / X,XXX sq ft [XXX m²]
- Use this to prevent crabgrass when seeding in the spring

FERTILIZER CLAIMS

- Accelerate the root growth of new grass plants
- Gives full feeding of Scotts Starter® Fertilizer – hastens sturdy growth of new grass plants
- Grows new grass thicker and quicker* *versus unfed seeding (**on back panel**)
- Scotts Starter®(brand) Fertilizer accelerates the root growth of new grass plants
- Won't burn lawn... Guaranteed!
- XX-XX-XX (**fertilizer ratio**)
- 18-23-4
- Water Smart™
- Water Smart™ makes the most of every drop [Improves lawn's ability to absorb water & nutrients]
- Well-fed lawns are more efficient at using available water
- Art: Water Smart logo
- Water Smart® – Makes the most of every drop
- Improves Lawn's ability to absorb water & nutrients
- Well-fed lawns are more efficient at using available water. Feeding with Scotts® fertilizer helps grow a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat, drought and other stresses.

PACKAGING CLAIMS

- Resealable
- Easy Open / Easy Close
- Reclosable bag
- Zip close

GENERAL CLAIMS

- [Photo: Picture of lawn]
- Available only at authorized [Scotts®] Lawn Pro® dealers
- A SCOTT'S® Lawn Pro® PRODUCT
- Available only at authorized [Scotts] Lawn Pro® stores/retailers
- LawnPro® Annual [fertilizer/feeding] Program
- LawnPro® authorized dealers/retailers/stores
- LawnPro®
- Scotts / Our BEST annual program for a picture-perfect lawn
- Scotts Best Annual Program

NOTE::

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 538-60

11/13

- Our best annual program
- Scotts® 4 STEP™ Program
- Scotts®

Scotts & Your Environment

We care.

Scotts products are designed with care to grow thicker, greener lawns.

[Because] A green lawn is a good lawn.

A healthy lawn can clean the air, produce oxygen and prevent runoff and soil erosion.

You can make a difference.

Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back on to your lawn.

Dedicated to A Beautiful World – Trusted by generations of homeowners, Scotts is dedicated to helping you enhance and protect the beauty of your home environment.

[Art: Lawn picture-One Annual Feeding, 2-3 Annual Feedings, 4 Annual Feedings]

Tips for Lawn care Success:

Feed Regularly For Your Best Lawn

Regular feedings of Scotts Turf Builder will help build a lawn you and your family can enjoy. Scotts Turf Builder provides the nutrients your lawn needs to look its [weed-free] best and withstand the stresses of heat, drought and family activity.

Mow your lawn high. Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively.

Leave the grass clippings on your lawn. This recycles the plant nutrients back into the soil.

Conserve Water. Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.

SEASONAL PRODUCT APPLICATION OPTIONS

SEEDING THIS SPRING and want to use Scotts LawnPro® Annual Program?

To prevent crabgrass, barnyardgrass and foxtail and seed your lawn, we recommend you use this product in place of standard Scotts Starter® BRAND Fertilizer.

Then after your new grass has been mowed 4 times, Scotts/we recommend(s) [that] you can resume the [Scotts] Annual Care Program [regular] [schedule] [beginning] with (***insert weed control product name***) if you have weeds. Use (***insert lawn fertilizer product name***) if weeds are not a problem.

[photo] Crabgrass plants invade new seeding.

[photo] Prevents crabgrass, hastens seeding growth.

-or-

To prevent crabgrass, barnyardgrass and foxtail and seed your lawn, Scotts/we recommend(s) [that] you use this product in place of standard Step™ 1 [Crabgrass Preventer

NOTE::

EPA Reg. No. 538-60

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.

plus Lawn Fertilizer]/ Scotts® Turf Builder® with HALTS® Crabgrass Preventer in [Scotts] [LawnPro®] Annual Program. Use Step™ 4/Turf Builder® Lawn Fertilizer if crabgrass/barnyardgrass/foxtail/weeds are not a problem.

Then after your new grass has been mowed 4 times, we recommend [that] you resume the regular schedule beginning with Step™ 4/Turf Builder® Lawn Fertilizer if weeds are not a problem. Use Step™ 2 [Weed Control plus Lawn Fertilizer]/Scotts® Turf Builder® with Plus 2® Weed Control if you have weeds. (Be sure to apply Step™ 2 before temperatures are consistently in the 90s.)

-or-

Plan your feeding schedule. Choose the right product for your lawn.

[Illustration of Scotts Turf Builder /STEP™ products]

[Now it's easy for you to have a better lawn.]

[Start anytime - You can begin the Annual fertilizer/feeding Program anytime of the year. Just check the month and select the appropriate [STEP™/Turf Builder®] product listed. We recommend [that] you apply the remaining products at two-month intervals. If weeds or bugs are not a problem, substitute STEP™ 4 /Turf Builder® lawn fertilizer product.]

[Florida Annual Fertilizer Applications / Program]

[On Centipede lawns, do not exceed [a] rate of 2 lbs [of] Nitrogen per 1,000 sq. ft. in the north and 3 lbs [of] Nitrogen per 1,000 sq. ft. in the central and south. On Bahia lawns, do not exceed [a] rate of 3 lbs [of] Nitrogen per 1,000 sq. ft. in the north. North Florida is north of Ocala. Central Florida is defined as south of Ocala to a line extending from Vero Beach to Tampa. South Florida includes the remaining southern portion of the state.]

[Simple and easy – No more guesswork. You simply apply the right product – one at a time.]

[Guaranteed results – Each [Scotts]/[STEP™] product is designed to the specific season to help give you a greener lawn.]

Scotts/We recommend(s) the following [annual] [program]:

Any Season. Apply any season if weeds or bugs are not a problem:

Scotts® Turf Builder® / STEP™ 4 Lawn Fertilizer [bag art]

Early Spring. February-April

Scotts® Turf Builder®/STEP™ 4 Lawn Fertilizer [If weeds are not a problem] [bag art]

To prevent crabgrass:

Scotts® Turf Builder® with HALTS® Crabgrass Preventer/STEP™ 1 Crabgrass Preventer plus Lawn Fertilizer [bag art]

Late Spring. April-June

Scotts® Turf Builder®/STEP™ 4 Lawn Fertilizer [If weeds are not a problem] [bag art]

If you have weeds:

Scotts® Turf Builder® with Plus 2® Weed Control / STEP™ 2 Weed Control plus Lawn Fertilizer [bag art]

NOTE::

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text]. Text separated by / denotes and/or options.

Summer. June-August

Scotts® Turf Builder®/STEP™ 4 Lawn Fertilizer [If bugs are not a problem] [bag art]

If you have bugs:

Scotts® Turf Builder® with SummerGuard® / STEP™ 3 Insect Control plus Lawn Fertilizer
 [bag art]

Fall. September-November

Scotts Turf Builder® WinterGuard® / STEP™ 4 Lawn Fertilizer [If weeds are not a problem]
 [bag art]

[If you have fall weeds: Scotts® Turf Builder® WinterGuard® with Plus 2® Weed Control [bag art]

- or -

Scotts recommends the use of these products to keep your lawn looking great all season!

Turf Builder® [Lawn Fertilizer] – Anytime/Use anytime if weeds and insects/bugs are not a problem.

If you have weeds: Turf Builder® with Plus 2® Weed Control – Late Spring, Use to kill broadleaf weeds and build a thicker, greener lawn

If you have bugs/insects: Turf Builder® with SummerGuard® – Use to kill listed/labeled bugs/insects and strengthen your lawn against heat and drought.

SCOTTS ADVANTAGE® PARTICLE TECHNOLOGY

The Scotts Difference - Unlike ordinary / many fertilizers, every particle of Starter Fertilizer with Crabgrass Preventer contains:

- Scotts patented timed released nitrogen
- [Phosphorus]
- Potassium

[Art: NPK]

The Scotts Advantage®

Each of Scotts exclusive All-in-One Particles® Fertilizer* provide consistent feeding to every treated square inch of your lawn. The result: A thick, green weed-free lawn without burning. **GUARANTEED!**

*All-in-One Particles® Fertilizer = nitrogen, phosphorus and potassium contained in every particle.

-or-

The Scotts Advantage®

Each of Scotts exclusive All-in-One Particles®* contain the guaranteed feeding nutrients and the weed control ingredient to provide consistent feeding and weed control to every treated square inch of your lawn. The result: A thick, green weed-free lawn without burning. **GUARANTEED.**

GUARANTEED.

*All-in-One Particles® = nitrogen, phosphorus, potassium and weed control ingredient contained in every particle